

## Watermelon Electrolyte Drink Mix

### TESTED BY AN INDEPENDENT LAB

**Advanced Laboratories, Inc.**

Salt Lake City, UT · FDA Reg. #14353128308

### CHAIN OF CUSTODY

Samples submitted by the manufacturer. All results determined by Advanced Laboratories on the finished Saltivate product.

SERVING SIZE  
**6 g**

LOT  
**1622601**

MANUFACTURED  
**May 5, 2026**

BEST BY  
**May 31, 2028**

APPLIES TO SKUS  
**SP-WMM-1 · SP-WMM-12 · SP-WMM-30**

### ACTIVE INGREDIENTS – LABEL CLAIM VS. THIS LOT

NUTRIENT	LABEL CLAIM	THIS LOT
<b>Sodium</b>	800 mg	<b>866 mg</b>
<b>Potassium</b>	240 mg	<b>302 mg</b>
<b>Magnesium</b>	60 mg	<b>62.2 mg</b>
<b>Chloride</b>	≥ 1,237 mg	<b>1,520 mg</b>
<b>Vitamin C</b>	90 mg	<b>109 mg</b>

### PURITY – HEAVY METALS

METAL	RESULT	LIMIT	
<b>Arsenic</b>	<b>&lt;0.006</b>	≤ 10	<b>PASS</b>
<b>Cadmium</b>	<b>0.012</b>	≤ 4.1	<b>PASS</b>
<b>Lead</b>	<b>0.084</b>	≤ 0.5	<b>PASS</b>
<b>Mercury</b>	<b>0.102</b>	≤ 0.3	<b>PASS</b>

mcg / 6 g serving

### SAFETY – MICROBIAL

TEST	RESULT	LIMIT	
<b>E. coli</b>	<b>Absent</b>	Absent / 10 g	<b>PASS</b>
<b>Salmonella sp.</b>	<b>Absent</b>	Absent / 10 g	<b>PASS</b>
<b>Total plate count</b>	<b>&lt;10 CFU/g</b>	≤ 10,000	<b>PASS</b>
<b>Yeast &amp; mold</b>	<b>&lt;10 CFU/g</b>	≤ 1,000	<b>PASS</b>

**Methods:** Minerals by ICP-OES and heavy metals by ICP-MS (USP <730>); chloride by ALSTM1120; vitamin C by HPLC (ALSTM1200); microbials by USP <2021>/<2022> and AOAC 2014.05. Advanced Laboratories report nos. 297045-01 (assay) and 297043-02 (micro) · received Jun 15, 2026, completed Jun 18, 2026.

**Saltivate LLC**, Hull MA · info@saltivate.com | This summary recasts the results of an independent laboratory analysis of the finished product. Underlying contract laboratory certificate available to wholesale partners under NDA.